

????????????????????  
 ????????????? TOA

Diagram illustrating a 16-bit bus system with 8 devices. The bus is 16 bits wide. The devices are connected to the bus as follows:


- Device 1 (top): 8 data lines.
- Device 2: 16 data lines.
- Device 3: 16 data lines.
- Device 4: 8 data lines, labeled "140" and "PC".
- Device 5: 8 data lines.
- Device 6: 16 data lines.
- Device 7: 16 data lines.
- Device 8 (bottom): 8 data lines.

[illegible]

Link








**S99**

8850106380269

No. 168



TOA WOODSTAIN SGLOSS #S99 1GL

2,655.00 บาท

CLEAR SEMI-GLOSS

ราคาไม่รวม VAT

กึ่งเงาใส  
(ไม่มีสี)



Batch no. 24061301T1

PO11140081055

วันที่ผลิต: 17/06/2024

ควรใช้ก่อน: 17/06/2027

ปริมาตรสุทธิ 3.785 ลิตร

1. การเตรียมพื้นผิว  
พื้นผิวไม้ใหม่ : ใช้น้ำยาเคลือบไม้  
แต่งพื้นผิวจนเรียบ \*อย่าขัด  
เรียบ \*ขัดด้วยกระดาษทราย  
• เช็ดทำความสะอาด  
พื้นผิวไม้เก่า : กรณีไม้เก่า  
ไม่เก่าที่ไม่เคยขัดสีก่อน ให้ขัด  
ที่พื้นผิวด้วยกระดาษทราย  
เบอร์ 240-320 แล้วขัดด้วย  
น้ำมัน หรือเจลาติน  
2. การทาสีรองพื้น  
พื้นผิวไม้ใหม่และเก่า  
ทาสีรองพื้นก่อนทาสี  
สีอื่น  
3. การทาสีสีสุดท้าย  
• ลงสีตามวิธี ทาสี  
• ทาสีด้วยแปรง หรือ  
พู่กันให้ทั่วพื้นผิว  
• รอสีแห้งก่อนทาสี  
สีอื่น  
\* ควรใช้สี TOA  
\* TOA WOODSTAIN SGLOSS  
สีไม้เคลือบเงา







Revision #6

Created 25 November 2024 05:34:07 by [REDACTED]

Updated 9 December 2024 03:09:03 by [REDACTED]