

????????????????????
 ?????????????? TOA

Diagram illustrating a 16-bit bus system with 8 devices. The bus is represented by two horizontal lines. The devices are connected to the bus via vertical lines. The devices are labeled with their IDs and the number of bits they use:


- Device 1: 1 bit
- Device 2: 14 bits
- Device 3: 14 bits
- Device 4: 140 bits (labeled PC)
- Device 5: 14 bits
- Device 6: 14 bits
- Device 7: 14 bits
- Device 8: 14 bits

[illegible]

Link








S99

8850106380269

No. 168



TOA WOODSTAIN SGLOSS #S99 1GL

2,655.00 บาท

CLEAR SEMI-GLOSS

ราคาไม่รวม VAT

กึ่งเงาใส
(ไม่มีสี)



Batch no. 24061301T1

วันที่ผลิต: 17/06/2024

ควรใช้ก่อน: 17/06/2027

PO11140081055

ปริมาตรสุทธิ 3.785 ลิตร

1. การเตรียมพื้นผิว
พื้นผิวไม้ใหม่ : ใช้น้ำยาเคลือบไม้
แต่งพื้นผิวจนเรียบ *อย่าขัด
เรียบ *ขัดด้วยกระดาษทราย
• เช็ดทำความสะอาดด้วย
พื้นผิวไม้เก่า : กรณีไม้เก่า
ไม้เก่าที่ไม่เคยขัดสีก่อน ให้ขัด
ที่พื้นผิวด้วยกระดาษทราย
เบอร์ 240-320 แล้วขัดด้วย
น้ำมัน หรือเจลาติน
2. การทาสีรองพื้น
พื้นผิวไม้ใหม่และเก่า
ทาสีรองพื้นก่อนทาสี
สีอื่น
3. การทาสีสีสุดท้าย
• ผสมสีตามต้องการ
• ทาสีด้วยแปรงสีฟัน
• ใช้ไม้ขัดสีตามต้องการ
• ทาสีสีสุดท้าย
• ทาสีสีสุดท้าย
• ทาสีสีสุดท้าย





Revision #6

Created 25 November 2024 05:34:07 by [REDACTED]

Updated 9 December 2024 03:09:03 by [REDACTED]