


# WI-EP-003

???????????????????? Willy




## 1. ??????????????



Willy

## 2. ??????????????











# ?????????? 2:

????????????????????????????????????

## ??? Willy

### 2.1 ??????????????

- Laser
- Marker

### 2.2 ?????????? Runner ??????????????

- 50-60 cm
- ±2 mm

### 2.3 ?????????? Stud

- Stud 40-60 cm
- 
- 

### 2.4 ???

- 
- 
- 

# ?????????????? 3:

## ????????????????????????? Willy

[Link ????? VDO ?????????????????????????? Willy ??????????????](#)













## DIAGRAM

- (A) ALUMINIUM U-PROFILE  
อะลูมิเนียมตัวยู
- (B) SIDE PILASTER  
เสาข้าง
- (C) DOOR  
ประตู
- (D) PILASTER  
เสากลาง
- (E) ADJUSTABLE FOOTING  
ขาตั้ง
- (F) TOP CHANNEL  
ทาร์น

## FEATURES

- (G) SPRING HINGE  
บานพับสปริง
- (H) LOCK RIM BOLT  
กลอนพ็องกร



Coat hook  
Code No: SC-1831 (P)  
Surface: Polished



Lock rim bolt with indicator  
Code No: SL-1824 (P)  
Surface: Polished



Lock receiver  
Code No: SLR-1824 (P)  
Surface: Polished



Spring hinge  
Code No: SH-1811 (P)  
Surface: Polished



Adjustable footing  
Code No: SF-1851 (P)  
Surface: Polished



Tissue holder  
Code No: ST-1841 (P)  
Surface: Polished



## 5.3 ??????????????????

- [ ]
- [ ]
- [ ]

## 5.4 ?????????????????? (After)

- [ ]
- [ ]
- [ ] [ ] [ ] [ ]

## 5.5 ??????????????????

- [ ] Wet Area
- [ ]

# 6.

## ???????????????????? (Safety)

- PPE [ ] ( [ ] [ ] [ ] )
- [ ]
- [ ] [ ]
- [ ] - [ ]
- [ ] / [ ]

# 7.

## ???????????????? ??????

